

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Aluminum, powder, 50 g

Print date: 14.04.2015

Product code: 9991043

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Aluminum, powder, 50 g

CAS No: 7429-90-5
Index No: 013-002-00-1
EC No: 231-072-3

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Laboratory chemicals

1.3. Details of the supplier of the safety data sheet**Seller**

Company name: CONATEX-DIDACTIC Lehrmittel GmbH
Street: Im Forstgarten 1
Place: D-66459 Kirkel
Internet: www.conatex.com

Supplier

Company name: Carbolution Chemicals GmbH
Street: Im Stadtwald, Gebäude A1.2
Place: D-66123 Saarbrücken
Contact person: Dr. Michael Bauer Telephone: +49 (0)681 302-71232
e-mail: michael.bauer@carbolution-chemicals.de
Internet: www.carbolution-chemicals.de

1.4. Emergency telephone number: +49 (0)681 302-71232**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Directive 67/548/EEC or 1999/45/EC**

Indications of danger: F - Highly flammable
R phrases:
Highly flammable.
Contact with water liberates extremely flammable gases.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:
Substance or mixture which in contact with water emits flammable gas: Water-react. 2
Flammable solid: Flam. Sol. 1
Hazard Statements:
In contact with water releases flammable gases.
Flammable solid.

2.2. Label elements**Hazardous components which must be listed on the label**
aluminium powder (stabilised)

Signal word: Danger
Pictograms: GHS02

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Aluminum, powder, 50 g

Print date: 14.04.2015

Product code: 9991043

Page 2 of 8



Hazard statements

H228 Flammable solid.
H261 In contact with water releases flammable gases.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P370+P378 In case of fire: Use dry sand to extinguish.
P402+P404 Store in a dry place. Store in a closed container.

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula: Al
Molecular weight: 26,98

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
231-072-3	aluminium powder (stabilised)	100 %
7429-90-5	F - Highly flammable R11-15	
013-002-00-1	Water-react. 2, Flam. Sol. 1; H261 H228	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

D -powder, Dry sand, Cement.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Aluminum, powder, 50 g

Print date: 14.04.2015

Product code: 9991043

Page 3 of 8

Unsuitable extinguishing media

Water, Foam.

5.2. Special hazards arising from the substance or mixture

Combustible. Vapours can form explosive mixtures with air. Danger of spontaneous combustion.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Contaminated fire-fighting water must be collected separately. Do not allow to enter into surface water or drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

6.3. Methods and material for containment and cleaning up

Take up carefully when dry. Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with water. Never add water to this product.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Do not allow contact with air. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container dry. Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on storage compatibility

Do not store together with: Material, oxygen-rich, oxidizing. Pyrophoric or self-heating substances.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
7429-90-5	Aluminium metal, respirable dust	-	4		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

8.2. Exposure controls

Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Aluminum, powder, 50 g

Print date: 14.04.2015

Product code: 9991043

Page 4 of 8

Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	silver grey
Odour:	No data available

Test method

pH-Value:	No data available
-----------	-------------------

Changes in the physical state

Melting point:	660 °C
Initial boiling point and boiling range:	2519 °C
Sublimation point:	No data available
Softening point:	No data available
Flash point:	No data available

Flammability

Solid:	No data available
Gas:	No data available

Lower explosion limits:	No data available
-------------------------	-------------------

Upper explosion limits:	No data available
-------------------------	-------------------

Ignition temperature:	400 °C
-----------------------	--------

Auto-ignition temperature

Solid:	No data available
Gas:	No data available

Vapour pressure:	No data available
------------------	-------------------

Vapour pressure:	No data available
------------------	-------------------

Density (at 20 °C):	2,7 g/cm ³
---------------------	-----------------------

Water solubility:	No data available
-------------------	-------------------

Partition coefficient:	No data available
------------------------	-------------------

Viscosity / dynamic:	No data available
----------------------	-------------------

Viscosity / kinematic:	No data available
------------------------	-------------------

Flow time:	No data available
------------	-------------------

Vapour density:	No data available
-----------------	-------------------

Evaporation rate:	No data available
-------------------	-------------------

Solvent separation test:	No data available
--------------------------	-------------------

Solvent content:	No data available
------------------	-------------------

9.2. Other information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Aluminum, powder, 50 g

Print date: 14.04.2015

Product code: 9991043

Page 5 of 8

Solid content:

No data available

SECTION 10: Stability and reactivity**10.1. Reactivity**

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Ignition hazard. Vapours can form explosive mixtures with air. No data available

10.5. Incompatible materials

Protect from moisture. Never add water to this product. Keep away from: Material, oxygen-rich, oxidizing.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

Toxicological data are not available.

Acute toxicity

Toxicological data are not available.

Irritation and corrosivity

Harmful if inhaled. Harmful if swallowed. Harmful in contact with skin. Frequently or prolonged contact with skin may cause dermal irritation. Risk of serious damage to eyes.

Sensitising effects

No data available

Severe effects after repeated or prolonged exposure

No data available

Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fulfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

Specific effects in experiment on an animal

No data available

Additional information on tests

This mixture is classified as hazardous according to 1999/45/EC.

Practical experience**Observations relevant to classification**

No data available

SECTION 12: Ecological information**12.1. Toxicity**

No data available

12.2. Persistence and degradability

Decomposes in contact with water.

12.3. Bioaccumulative potential

No data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Aluminum, powder, 50 g

Print date: 14.04.2015

Product code: 9991043

Page 6 of 8

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the environment".

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Advice on disposal**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals
Classified as hazardous waste.

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals
Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances
Classified as hazardous waste.

Contaminated packaging

Avoid contact with water. Dispose of waste according to applicable legislation.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number: UN 1309
14.2. UN proper shipping name: ALUMINIUM POWDER, COATED
14.3. Transport hazard class(es): 4.1
14.4. Packing group: III
Hazard label: 4.1
Classification code: F3
Limited quantity: 5 kg
Transport category: 3
Hazard No: 40
Tunnel restriction code: E

Other applicable information (land transport)

E1

Inland waterways transport (ADN)

14.1. UN number: UN 1309

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Aluminum, powder, 50 g

Print date: 14.04.2015

Product code: 9991043

Page 7 of 8

14.2. UN proper shipping name: ALUMINIUM POWDER, COATED

14.3. Transport hazard class(es): 4.1

14.4. Packing group: III

Hazard label: 4.1

Classification code: F3

Limited quantity: 5 kg

Other applicable information (inland waterways transport)

E1

Marine transport (IMDG)

14.1. UN number: UN 1309

14.2. UN proper shipping name: ALUMINIUM POWDER, COATED

14.3. Transport hazard class(es): 4.1

14.4. Packing group: III

Hazard label: 4.1

Special Provisions: 223

Limited quantity: 5 kg

EmS: F-G, S-G

Other applicable information (marine transport)

E1

Air transport (ICAO)

14.1. UN number: UN 1309

14.2. UN proper shipping name: ALUMINIUM POWDER, COATED

14.3. Transport hazard class(es): 4.1

14.4. Packing group: III

Hazard label: 4.1

Special Provisions: A3

Limited quantity Passenger: 10 kg

IATA-packing instructions - Passenger: 446

IATA-max. quantity - Passenger: 25 kg

IATA-packing instructions - Cargo: 449

IATA-max. quantity - Cargo: 100 kg

Other applicable information (air transport)

E1

: Y443

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

National regulatory information

Water contaminating class (D): - - not water contaminating

SECTION 16: Other information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Aluminum, powder, 50 g

Print date: 14.04.2015

Product code: 9991043

Page 8 of 8

Relevant R-phrases (Number and full text)

- 11 Highly flammable.
- 15 Contact with water liberates extremely flammable gases.

Relevant H- and EUH-phrases (Number and full text)

- H228 Flammable solid.
- H261 In contact with water releases flammable gases.