

according to Regulation (EC) No 1907/2006

	Chlorobenzene, 100 ml				
Print date: 14.04.2015	Product code: 9991230		Page 1 of 9		
SECTION 1: Identification of the substance/mixture and of the company/undertaking					
1.1. Product identifier					
Chlorobenzene, 100 n	nl				
CAS No:	108-90-7				
Index No:	602-033-00-1				
EC No:	203-628-5				
1.2. Relevant identified uses of the s	ubstance or mixture and uses advised agai	nst			
Use of the substance/mixture					
Laboratory chemicals					
1.3. Details of the supplier of the safe	ety data sheet				
Seller					
Company name:	CONATEX-DIDACTIC Lehrmittel GmbH				
Street:	Im Forstgarten 1				
Place:	D-66459 Kirkel				
Internet:	www.conatex.com				
Supplier					
Company name:	Carbolution Chemicals GmbH				
Street:	Im Stadtwald, Gebäude A1.2				
Place:	D-66123 Saarbrücken				
Contact person:	Dr. Michael Bauer	Telephone: +49 (0)681 302-71232			
e-mail:	michael.bauer@carbolution-chemicals.de				
Internet:	www.carbolution-chemicals.de				
<u>1.4. Emergency telephone</u> number:	+49 (0)681 302-71232				

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: Xn - Harmful, N - Dangerous for the environment R phrases: Flammable. Harmful by inhalation. Toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories: Flammable liquid: Flam. Liq. 3 Acute toxicity: Acute Tox. 4 Hazardous to the aquatic environment: Aquatic Chronic 2 Hazard Statements: Flammable liquid and vapour. Harmful if inhaled. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazardous components which must be listed on the label chlorobenzene



according to Regulation (EC) No 1907/2006

	Chlorobenzene, 100 ml				
Print date: 14.04.2015	Product code: 9991230	Page 2 of 9			
Signal word:	Warning				
Pictograms:	GHS02-GHS07-GHS09				
Hazard statements					
H226	Flammable liquid and vapour. Harmful if inhaled.				
H332 H411					
	Toxic to aquatic life with long lasting effects.				
Precautionary stateme P273	nts Avoid release to the environment.				
-					
2.3. Other hazards No information available.					
SECTION 3: Composition	on/information on ingredients				

3.1. Substances

Sum formula:	C6H5CI
Molecular weight:	112,56

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
203-628-5	chlorobenzene	100 %
108-90-7	Xn - Harmful, N - Dangerous for the environment R10-20-51-53	
602-033-00-1	Flam. Liq. 3, Acute Tox. 4, Aquatic Chronic 2; H226 H332 H411	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



according to Regulation (EC) No 1907/2006

Chlorobenzene, 100 ml

Print date: 14.04.2015

Product code: 9991230

Page 3 of 9

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on storage compatibility

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

Chlorobenzene, 100 ml

Print date: 14.04.2015

Product code: 9991230

Page 4 of 9

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
108-90-7	Chlorobenzene	1	4.7		TWA (8 h)	WEL
		3	14		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Odour:	No data available

		Test method
pH-Value:	not determined	
Changes in the physical state		
Melting point:	-45 °C	
Initial boiling point and boiling range:	132 °C	
Sublimation point:	No data available	
Softening point:	No data available	
Flash point:	27 °C	
Flammability		
Solid:	not applicable	
Gas:	not applicable	
Lower explosion limits:	1,3 vol. %	
Upper explosion limits:	7,1 vol. %	
Ignition temperature:	No data available	
Auto-ignition temperature		



according to Regulation (EC) No 1907/2006

Chlorobenzene, 100 ml				
Print date: 14.04.2015	Product code: 9991230	Page 5 of 9		
Solid: Gas:	not applicable 637 °C			
Decomposition temperature:	not determined			
Oxidizing properties Not oxidizing.				
Vapour pressure: (at 25 °C)	15,7 hPa			
Vapour pressure:	No data available			
Density (at 25 °C):	1,106 g/cm³			
Water solubility:	insoluble			
Solubility in other solvents not determined				
Partition coefficient:	2,89			
Viscosity / dynamic: Viscosity / kinematic: Flow time:	No data available No data available No data available			
Vapour density:	not determined			
Evaporation rate:	not determined			
Solvent separation test: Solvent content: 9.2. Other information	No data available No data available			
Solid content:	not determined			

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable, Ignition hazard.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

Toxicological data are not available.

Acute toxicity

Toxicological data are not available.



according to Regulation (EC) No 1907/2006

Chlorobenzene, 100 ml Print date: 14.04.2015 Product code: 9991230 Page 6 of 9 CAS No Chemical name Exposure routes Method Dose Species Source 108-90-7 chlorobenzene ATE inhalative vapour 11 mg/l ATE inhalative aerosol 1,5 mg/l

Irritation and corrosivity

No data available

Sensitising effects

No data available

Severe effects after repeated or prolonged exposure

No data available

Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fullfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

Specific effects in experiment on an animal

No data available

Additional information on tests

This mixture is classified as hazardous according to 1999/45/EC.

Practical experience

Observations relevant to classification

No data available

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source
108-90-7	chlorobenzene	-			-	
	Acute algae toxicity	ErC50	12,5 mg/l	96 h	Selenastrum capricornutum	
	Acute crustacea toxicity	EC50	20 mg/l	48 h	Daphnia magna	

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
108-90-7	chlorobenzene	2,84

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.



according to Regulation (EC) No 1907/2006

Chlorobenzene, 100 ml

Print date: 14.04.2015

Product code: 9991230

Page 7 of 9

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances Classified as hazardous waste.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 1134
14.2. UN proper shipping name:	CHLOROBENZENE
14.3. Transport hazard class(es):	3
<u>14.4. Packing group:</u>	III
Hazard label:	3
Classification code:	F1
Limited quantity:	5 L
Transport category:	3
Hazard No:	30
Tunnel restriction code:	D/E
Other applicable information (land transp E1	port)
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	UN 1134
14.2. UN proper shipping name:	CHLOROBENZENE
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3
Classification code:	F1
Limited quantity:	5 L



according to Regulation (EC) No 1907/2006

Chlorobenzene, 100 ml					
Print date: 14.04.2015	Product code: 9991230	Page 8 of 9			
Other applicable information (inland wa	aterways transport)				
E1					
Marine transport (IMDG)					
14.1. UN number:					
14.2. UN proper shipping name:	CHLOROBENZENE				
<u>14.3. Transport hazard class(es):</u>	3				
14.4. Packing group:					
Hazard label: Special Provisions:	3				
Limited quantity:	- 5 L				
EmS:	F-E, S-D				
Other applicable information (marine tra E1	ansport)				
Air transport (ICAO)					
<u>14.1. UN number:</u>	UN 1134				
14.2. UN proper shipping name:	CHLOROBENZENE				
14.3. Transport hazard class(es):	3				
<u>14.4. Packing group:</u>	III				
Hazard label:	3				
Limited quantity Passenger:	10 L				
IATA-packing instructions - Passenger:	355				
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo:	60 L 366				
IATA-max. quantity - Cargo:	220 L				
Other applicable information (air transp : Y344 E1	port)				
14.5. Environmental hazards					
ENVIRONMENTALLY HAZARDOUS:	ves				
14.6. Special precautions for user	,				
No information available.					
14.7. Transport in bulk according to Annex	II of MARPOL73/78 and the IBC Code				
not applicable					
SECTION 15: Regulatory information					
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture				
EU regulatory information					
2004/42/EC (VOC):	100 % (1106 g/l)				
Additional information					
Safety Data Sheet according	g to Regulation (EC) No. 1907/2006 (REACH)				
National regulatory information					
Employment restrictions:	Observe employment restrictions for young people. Observe employment	ent			
	restrictions for child bearing mothers and nursing.				
Water contaminating class (D):	2 - water contaminating				
15.2. Chemical safety assessment	al agents appagament has not been serviced out				
For this substance a chemic	al safety assessment has not been carried out.				



according to Regulation (EC) No 1907/2006

Chlorobenzene, 100 ml

Print date: 14.04.2015

Product code: 9991230

Page 9 of 9

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Relevant R-phrases (Number and full text)

- 10 Flammable.
- 20 Harmful by inhalation.
- 51 Toxic to aquatic organisms.
- 53 May cause long-term adverse effects in the aquatic environment.

Relevant H- and EUH-phrases (Number and full text)

- H226 Flammable liquid and vapour.
- H332 Harmful if inhaled.
- H411 Toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.