

according to Regulation (EC) No 1907/2006

	Ethylbenzene, 100 ml						
Print date: 14.04.2015 Product code: 9991332							
SECTION 1: Identification of the substance/mixture and of the company/undertaking							
1.1. Product identifier							
Ethylbenzene, 100 ml							
CAS No:	100-41-4						
Index No:	601-023-00-4						
EC No:	202-849-4						
1.2. Relevant identified uses of the su	ubstance or mixture and uses advised agai	nst					
Use of the substance/mixture							
Laboratory chemicals							
1.3. Details of the supplier of the safe	ety data sheet						
Seller							
Company name:	CONATEX-DIDACTIC Lehrmittel GmbH						
Street:	Im Forstgarten 1						
Place:	D-66459 Kirkel						
Internet:	www.conatex.com						
Supplier							
Company name:	Carbolution Chemicals GmbH						
Street:	Im Stadtwald, Gebäude A1.2						
Place:	D-66123 Saarbrücken						
Contact person:	Dr. Michael Bauer	Telephone: +49 (0)681 302-71232					
e-mail:	michael.bauer@carbolution-chemicals.de						
Internet:	www.carbolution-chemicals.de						
1.4. Emergency telephone	+49 (0)681 302-71232						
number:							

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: F - Highly flammable, Xn - Harmful R phrases: Highly flammable. Harmful by inhalation. Harmful: danger of serious damage to health by prolonged exposure through inhalation. Harmful: may cause lung damage if swallowed.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories: Flammable liquid: Flam. Liq. 2 Acute toxicity: Acute Tox. 4 Specific target organ toxicity - repeated exposure: STOT RE 2 Aspiration hazard: Asp. Tox. 1 Hazard Statements: Highly flammable liquid and vapour. Harmful if inhaled. May cause damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways.

2.2. Label elements



according to Regulation (EC) No 1907/2006

	Ethylbenzene, 100 ml	
Print date: 14.04.2015	Product code: 9991332	Page 2 of 8
Hazardous componer ethylbenz	nts which must be listed on the label rene	
Signal word:	Danger	
Pictograms:	GHS02-GHS07	
Hazard statements H225 H332	Highly flammable liquid and vapour. Harmful if inhaled.	
Precautionary statem P210	ents Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
SECTION 3: Composit	ion/information on ingredients	
3.1. Substances		
Sum formula:	C8H10	
Molecular weight:	106,17	

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
202-849-4	ethylbenzene	100 %
100-41-4	F - Highly flammable, Xn - Harmful R11-20-48/20-65	
601-023-00-4	Flam. Liq. 2, Acute Tox. 4, STOT RE 2, Asp. Tox. 1; H225 H332 H373 H304	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

Wash with plenty of water. Change contaminated clothing.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures



according to Regulation (EC) No 1907/2006

Ethylbenzene, 100 ml

Print date: 14.04.2015

Product code: 9991332

Page 3 of 8

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Foam. Extinguishing powder.

5.2. Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion hazard.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Vapours may form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from sources of ignition. - No smoking.

Advice on storage compatibility

Do not store together with: Material, rich in oxygen, oxidizing.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
100-41-4	Ethylbenzene	100	441		TWA (8 h)	WEL
		125	552		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe



according to Regulation (EC) No 1907/2006

Ethylbenzene, 100 ml

Print date: 14.04.2015

Product code: 9991332

Page 4 of 8

gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid		
Colour:	colourless		
Odour:	No data available		
			Test method
pH-Value:		No data available	
Changes in the physical state			
Melting point:		-95 °C	
Initial boiling point and boiling range:		136 °C	
Sublimation point:		No data available	
Softening point:		No data available	
Flash point:		15 °C	
Flammability			
Solid:		No data available	
Gas:		No data available	
Lower explosion limits:		1 vol. %	
Upper explosion limits:		6,7 vol. %	
Ignition temperature:		No data available	
Auto-ignition temperature			
Solid:		No data available	
Gas:		432 °C	
Vapour pressure: (at 20 °C)		13,3 hPa	
Vapour pressure: (at 37,7 °C)		25,3 hPa	
Density:		No data available	
Water solubility:		No data available	
Partition coefficient:		2,92	



according to Regulation (EC) No 1907/2006

Ethylbenzene, 100 ml				
Print date: 14.04.2015	Product code: 9991332	Page 5 of 8		
Viscosity / dynamic:	No data available			
Viscosity / kinematic:	No data available			
Flow time:	No data available			
Vapour density:	No data available			
Evaporation rate:	No data available			
Solvent separation test:	No data available			
Solvent content:	No data available			
9.2. Other information				
Solid content:	No data available			

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

Keep away from heat. Ignition hazard.

10.5. Incompatible materials

Oxidizing agents, strong.

10.6. Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

Toxicological data are not available.

Acute toxicity

Acute toxicity, inhalant.

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
100-41-4	ethylbenzene				
	oral	LD50	3500 mg/kg	Ratte	
	dermal	LD50	15400 mg/kg	Kaninchen	
	inhalative (4 h) vapour	LC50	17,2 mg/l	Ratte	
	inhalative aerosol	ATE	1,5 mg/l		

Irritation and corrosivity

No data available

Sensitising effects

No data available

Severe effects after repeated or prolonged exposure

No data available

Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fullfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.



according to Regulation (EC) No 1907/2006

Ethylbenzene, 100 ml					
Print date: 14.04.2015	Product code: 9991332	Page 6 of 8			
Specific effects in experiment on an animal No data available					
Additional information on tests The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).					
Practical experience					
Observations relevant to classification No data available					

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source
100-41-4	ethylbenzene					
	Acute algae toxicity	ErC50	3,6 mg/l	96 h	Algen	

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
100-41-4	ethylbenzene	3,15

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals Classified as hazardous waste.

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.



according to Regulation (EC) No 1907/2006

Ethylbenzene, 100 ml

Print date: 14.04.2015

Product code: 9991332

Page 7 of 8

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances Classified as hazardous waste.

Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

SECTION	14:	Transport	informatio	n

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN1175
14.2. UN proper shipping name:	ETHYLBENZENE
14.3. Transport hazard class(es):	3
14.4. Packing group:	11
Hazard label:	3
Classification code:	F1
Limited quantity:	1 L
Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E
Other applicable information (land transp E2	port)
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	UN1175
14.2. UN proper shipping name:	ETHYLBENZENE
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Limited quantity:	1 L
Other applicable information (inland wate	erways transport)
E2	
Marine transport (IMDG)	
<u>14.1. UN number:</u>	UN1175
14.2. UN proper shipping name:	ETHYLBENZENE
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Special Provisions:	-
Limited quantity:	1L
EmS:	F-E, S-D
Other applicable information (marine tran E2	isport)
Air transport (ICAO)	
<u>14.1. UN number:</u>	UN1175
14.2. UN proper shipping name:	ETHYLBENZENE



according to Regulation (EC) No 1907/2006

Ethylbenzene, 100 ml		
Print date: 14.04.2015	Product code: 9991332	Page 8 of 8
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
Limited quantity Passenger:	1 L	
IATA-packing instructions - Passenger:	353	
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	364 60 L	
Other applicable information (air trans		
E2	porg	
: ¥341		
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
SECTION 15: Regulatory information		
	ulations/logislation apositis for the substance or mixture	
	gulations/legislation specific for the substance or mixture	
EU regulatory information		
2004/42/EC (VOC):	100 %	
Additional information		
•	ig to Regulation (EC) No. 1907/2006 (REACH)	
National regulatory information		
Water contaminating class (D):	1 - slightly water contaminating	
SECTION 16: Other information		
Relevant R-phrases (Number and full t	ext)	
11 Highly flammable.	- 1	
20 Harmful by inhalatior	1.	
48/20 Harmful: danger of s	erious damage to health by prolonged exposure through inhalation.	
65 Harmful: may cause	lung damage if swallowed.	
Relevant H- and EUH-phrases (Numbe		
	nable liquid and vapour.	
-	if swallowed and enters airways.	
H332 Harmful if in		

H373 May cause damage to organs through prolonged or repeated exposure.