

according to Regulation (EC) No 1907/2006

Carbol-fuchsin solution acc. to Ziehl-Neelsen, 250 ml

Print date: 14.04.2015 Product code: 9991451 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Carbol-fuchsin solution acc. to Ziehl-Neelsen, 250 ml

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

1.3. Details of the supplier of the safety data sheet

Seller

Company name: CONATEX-DIDACTIC Lehrmittel GmbH

Street: Im Forstgarten 1
Place: D-66459 Kirkel
Internet: www.conatex.com

Supplier

Company name: Carbolution Chemicals GmbH Street: Im Stadtwald, Gebäude A1.2

Place: D-66123 Saarbrücken

Contact person: Dr. Michael Bauer Telephone: +49 (0)681 302-71232

e-mail: michael.bauer@carbolution-chemicals.de

Internet: www.carbolution-chemicals.de

1.4. Emergency telephone +49 (0)681 302-71232

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: T - Toxic, C - Corrosive, Xn - Harmful

R phrases:

May cause cancer.

Harmful by inhalation, in contact with skin and if swallowed.

Causes burns.

Possible risks of irreversible effects.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1B

Serious eye damage/eye irritation: Eye Dam. 1

Germ cell mutagenicity: Muta. 2

Hazard Statements:

Causes severe skin burns and eye damage. Suspected of causing genetic defects.

2.2. Label elements

Hazardous components which must be listed on the label

phenol

Signal word: Danger

Pictograms: GHS05-GHS08



according to Regulation (EC) No 1907/2006

Carbol-fuchsin solution acc. to Ziehl-Neelsen, 250 ml

Print date: 14.04.2015 Product code: 9991451 Page 2 of 8





Hazard statements

H314 Causes severe skin burns and eye damage.
H341 Suspected of causing genetic defects.

Precautionary statements

P201 Obtain special instructions before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container to Waste management.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
200-578-6	ethanol, ethyl alcohol	5 - < 10 %
64-17-5	F - Highly flammable R11	
603-002-00-5	Flam. Liq. 2; H225	
203-632-7	phenol	1 - < 5 %
108-95-2	Muta. Cat. 3, T - Toxic, C - Corrosive, Xn - Harmful R68-23/24/25-48/20/21/22-34	
604-001-00-2	Muta. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT RE 2, Skin Corr. 1B; H341 H331 H311 H301 H373 ** H314	
	Basic fuchsin	< 1 %
58969-01-0	Carc. Cat. 3, Xn - Harmful R22-40	
	Carc. 2, Acute Tox. 4; H351 H302	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Medical treatment necessary.



according to Regulation (EC) No 1907/2006

Carbol-fuchsin solution acc. to Ziehl-Neelsen, 250 ml

Print date: 14.04.2015 Product code: 9991451 Page 3 of 8

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Potential hazards: Stomach perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Only use the material in places where open light, fire and other flammable sources can be kept away.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

Carbol-fuchsin solution acc. to Ziehl-Neelsen, 250 ml

Print date: 14.04.2015 Product code: 9991451 Page 4 of 8

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
İ		-	-		STEL (15 min)	WEL
108-95-2	Phenol	2	7.8		TWA (8 h)	WEL
		4	16		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: No data available

Test method

pH-Value: No data available

Changes in the physical state

Initial boiling point and boiling range:

Sublimation point:

No data available

Softening point:

No data available

Flash point:

No data available

Flammability

Solid: No data available Gas: No data available Lower explosion limits: No data available Upper explosion limits: No data available Ignition temperature: No data available



according to Regulation (EC) No 1907/2006

Carbol-fuchsin solution acc. to Ziehl-Neelsen, 250 ml

Print date: 14.04.2015 Product code: 9991451 Page 5 of 8

Auto-ignition temperature

Solid: No data available Gas: No data available No data available Vapour pressure: Vapour pressure: No data available Density: No data available No data available Water solubility: Partition coefficient: No data available Viscosity / dynamic: No data available Viscosity / kinematic: No data available Flow time: No data available Vapour density: No data available Evaporation rate: No data available Solvent separation test: No data available No data available Solvent content:

9.2. Other information

Solid content: No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Oxidizing agents, strong.

10.6. Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

Toxicological data are not available.

Acute toxicity

Toxic. Acute toxicity, oral. Acute toxicity, inhalant. Acute toxicity, dermal.



according to Regulation (EC) No 1907/2006

Carbol-fuchsin solution acc. to Ziehl-Neelsen, 250 ml

Print date: 14.04.2015 Product code: 9991451 Page 6 of 8

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
64-17-5	ethanol, ethyl alcohol				
	oral	LD50	6200 mg/kg	Ratte	
	inhalative (4 h) vapour	LC50	95,6 mg/l	Ratte	
108-95-2	phenol				
	oral	ATE	100 mg/kg		
	dermal	ATE	300 mg/kg		
	inhalative vapour	ATE	3 mg/l		
	inhalative (4 h) aerosol	LC50	0,316 mg/l	Ratte	
58969-01-0	Basic fuchsin				
	oral	ATE	500 mg/kg		

Irritation and corrosivity

after ingestion: Irritant and corrosive effects. Potential hazards: Stomach perforation.

Sensitising effects

No data available

Severe effects after repeated or prolonged exposure

No data available

Carcinogenic/mutagenic/toxic effects for reproduction

May cause cancer. May cause heritable genetic damage.

Specific effects in experiment on an animal

No data available

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

Practical experience

Observations relevant to classification

No data available

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name	Chemical name				
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source
64-17-5	ethanol, ethyl alcohol	ethanol, ethyl alcohol				
	Acute crustacea toxicity	EC50 mg/l	9268 - 14221	48 h	Daphnia magna	
108-95-2	phenol					
	Acute algae toxicity	ErC50	229 mg/l	72 h	Algen	

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available



according to Regulation (EC) No 1907/2006

	Carbol-fuchsin solution acc. to Ziehl-Neelsen, 250 ml	
Print date: 14.04.2015	Product code: 9991451	Page 7 of 8

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,31
108-95-2	phenol	1,5

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

160506

WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of used product

160506

WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances Classified as hazardous waste.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

Other applicable information (land transport)

No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

Other applicable information (marine transport)

No dangerous good in sense of these transport regulations.



according to Regulation (EC) No 1907/2006

Carbol-fuchsin solution acc. to Ziehl-Neelsen, 250 ml

Print date: 14.04.2015 Product code: 9991451 Page 8 of 8

Air transport (ICAO)

Other applicable information (air transport)

No dangerous good in sense of these transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC): 13,5 %

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

National regulatory information

Water contaminating class (D): 2 - water contaminating

SECTION 16: Other information

Relevant R-phrases (Number and full text)

11	Highly flammable.
22	Harmful if swallowed.

23/24/25 Toxic by inhalation, in contact with skin and if swallowed.

34 Causes burns.

40 Limited evidence of a carcinogenic effect.

 $48/20/21/22 \quad \text{Harmful: danger of serious damage to health by prolonged exposure through inhalation, in} \\$

contact with skin and if swallowed.

68 Possible risks of irreversible effects.

Relevant H- and EUH-phrases (Number and full text)

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.

H302 Harmful if swallowed.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H331 Toxic if inhaled.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)