

according to Regulation (EC) No 1907/2006

Copper(I) oxide, 50 g

Print date: 14.04.2015 Product code: 9991486 Page 1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Copper(I) oxide, 50 g

CAS No: 1317-39-1 Index No: 029-002-00-X EC No: 215-270-7

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Laboratory chemicals

#### 1.3. Details of the supplier of the safety data sheet

Seller

Company name: CONATEX-DIDACTIC Lehrmittel GmbH

Street: Im Forstgarten 1
Place: D-66459 Kirkel
Internet: www.conatex.com

Supplier

Company name: Carbolution Chemicals GmbH Street: Im Stadtwald, Gebäude A1.2

Place: D-66123 Saarbrücken

Contact person: Dr. Michael Bauer Telephone: +49 (0)681 302-71232

e-mail: michael.bauer@carbolution-chemicals.de

Internet: www.carbolution-chemicals.de

**1.4. Emergency telephone** +49 (0)681 302-71232

number:

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: Xn - Harmful, N - Dangerous for the environment

R phrases:

Harmful if swallowed.

Very toxic to aquatic organisms.

May cause long-term adverse effects in the aquatic environment.

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Acute toxicity: Acute Tox. 4

Hazardous to the aquatic environment: Aquatic Acute 1 (M-Factor = 1)
Hazardous to the aquatic environment: Aquatic Chronic 1 (M-Factor = 1)

Hazard Statements: Harmful if swallowed. Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

## 2.2. Label elements

### Hazardous components which must be listed on the label

copper (I) oxide, dicopper oxide

Signal word: Warning



according to Regulation (EC) No 1907/2006

# Copper(I) oxide, 50 g

Print date: 14.04.2015 Product code: 9991486 Page 2 of 8

Pictograms:

GHS07-GHS09





### **Hazard statements**

H302 Harmful if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

### **Precautionary statements**

P273 Avoid release to the environment.

P501 Dispose of contents/container to Waste management.

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Sum formula: Cu2O Molecular weight: 143,09

### **Hazardous components**

EC No	Chemical name	Quantity		
CAS No	Classification according to Directive 67/548/EEC			
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
215-270-7	copper (I) oxide, dicopper oxide	100 %		
1317-39-1	Xn - Harmful, N - Dangerous for the environment R22-50-53			
029-002-00-X	Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1; H302 H400 H410			

Full text of R-, H- and EUH-phrases: see section 16.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### After inhalation

Provide fresh air.

### After contact with skin

Wash with plenty of water. Change contaminated clothing.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Medical treatment necessary.

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.



according to Regulation (EC) No 1907/2006

# Copper(I) oxide, 50 g

Print date: 14.04.2015 Product code: 9991486 Page 3 of 8

### 5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid generation of dust. Do not breathe dust. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

## Advice on protection against fire and explosion

Only use the material in places where open light, fire and other flammable sources can be kept away.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### 8.2. Exposure controls

#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

### Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

# **Hand protection**

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

### Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must



according to Regulation (EC) No 1907/2006

Copper(I) oxide, 50 g

Print date: 14.04.2015 Product code: 9991486 Page 4 of 8

be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state:

solid

Colour:

Odour:

pH-Value:

No data available

Test method

Changes in the physical state

1230 °C

Melting point:
Initial boiling point and boiling range:

No data available

Sublimation point:

No data available No data available

No data available

Softening point: Flash point:

No data available

**Flammability** 

Solid: Gas: No data available No data available

Lower explosion limits:

No data available

Upper explosion limits: Ignition temperature:

No data available
No data available

**Auto-ignition temperature** 

Solid:

No data available

Gas: Vapour pressure: No data available

Vapour pressure:

No data available
No data available

Density (at 20 °C): Water solubility: 6,000 g/cm<sup>3</sup>

Partition coefficient:

No data available
No data available

Viscosity / dynamic: Viscosity / kinematic: No data available

Flow time:

Vapour density:

No data available No data available

Evaporation rate:

No data available

Solvent separation test: Solvent content:

No data available No data available No data available

9.2. Other information

Solid content:

No data available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No data available

### 10.3. Possibility of hazardous reactions



according to Regulation (EC) No 1907/2006

# Copper(I) oxide, 50 g

Print date: 14.04.2015 Product code: 9991486 Page 5 of 8

No data available

#### 10.4. Conditions to avoid

No data available

### 10.5. Incompatible materials

Oxidizing agents, strong.

### 10.6. Hazardous decomposition products

No data available

### **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

### Toxicocinetics, metabolism and distribution

Toxicological data are not available.

#### **Acute toxicity**

Acute toxicity, dermal.

CAS No	Chemical name						
	Exposure routes	Method	Dose	Species	Source		
1317-39-1	copper (I) oxide, dicopper oxide						
	oral	LD50	470 mg/kg	Ratte			

### Irritation and corrosivity

No data available

### Sensitising effects

No data available

# Severe effects after repeated or prolonged exposure

No data available

### Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fullfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

# Specific effects in experiment on an animal

No data available

## Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

### **Practical experience**

#### Observations relevant to classification

No data available

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

# 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

No data available

### 12.4. Mobility in soil

No data available



according to Regulation (EC) No 1907/2006

# Copper(I) oxide, 50 g

Print date: 14.04.2015 Product code: 9991486 Page 6 of 8

### 12.5. Results of PBT and vPvB assessment

No data available

#### 12.6. Other adverse effects

No data available

### **Further information**

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

### Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded

chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures

of laboratory chemicals

Classified as hazardous waste.

### Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded

chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

#### Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE

CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances

Classified as hazardous waste.

### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

# Land transport (ADR/RID)

**14.1. UN number:** UN3077

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

14.3. Transport hazard class(es): 9

14.4. Packing group:IIIHazard label:9

Classification code: M7
Special Provisions: 274 335 601

Limited quantity: 5 kg
Transport category: 3
Hazard No: 90
Tunnel restriction code: E

### Other applicable information (land transport)

E1

### Inland waterways transport (ADN)

**14.1. UN number:** UN3077



according to Regulation (EC) No 1907/2006

Copper(I) oxide, 50 g

Product code: 9991486 Print date: 14.04.2015 Page 7 of 8

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. 14.2. UN proper shipping name:

14.3. Transport hazard class(es): 9 Ш 14.4. Packing group: Hazard label: 9 Classification code: M7

Special Provisions: 274 335 601

Limited quantity: 5 ka

Other applicable information (inland waterways transport)

F1

Marine transport (IMDG)

UN3077 14.1. UN number:

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. 14.2. UN proper shipping name:

14.3. Transport hazard class(es): Ш 14.4. Packing group: Hazard label: 274, 335 **Special Provisions:** Limited quantity: 5 kg

EmS: F-A. S-F

Other applicable information (marine transport)

Air transport (ICAO)

UN3077 14.1. UN number:

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

14.3. Transport hazard class(es): Ш 14.4. Packing group: Hazard label:

**Special Provisions:** A97 A158 A179 Limited quantity Passenger: 30 kg G

IATA-packing instructions - Passenger: 956 IATA-max. quantity - Passenger: 400 kg IATA-packing instructions - Cargo: 956 IATA-max. quantity - Cargo: 400 kg

Other applicable information (air transport)

E1 : Y956

14.5. Environmental hazards

**ENVIRONMENTALLY HAZARDOUS:** yes

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

**Additional information** 

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

**National regulatory information** 

Water contaminating class (D): 1 - slightly water contaminating



according to Regulation (EC) No 1907/2006

# Copper(I) oxide, 50 g

Print date: 14.04.2015 Product code: 9991486 Page 8 of 8

# **SECTION 16: Other information**

# Relevant R-phrases (Number and full text)

22 Harmful if swallowed.

Very toxic to aquatic organisms.

May cause long-term adverse effects in the aquatic environment.

### Relevant H- and EUH-phrases (Number and full text)

H302 Harmful if swallowed. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.