

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium hydroxide, 1 kg

Print date: 14.04.2015

Product code: 9991687

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Sodium hydroxide, 1 kg

CAS No: 1310-73-2
Index No: 011-002-00-6
EC No: 215-185-5

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Laboratory chemicals

1.3. Details of the supplier of the safety data sheet**Seller**

Company name: CONATEX-DIDACTIC Lehrmittel GmbH
Street: Im Forstgarten 1
Place: D-66459 Kirkel
Internet: www.conatex.com

Supplier

Company name: Carbolution Chemicals GmbH
Street: Im Stadtwald, Gebäude A1.2
Place: D-66123 Saarbrücken
Contact person: Dr. Michael Bauer Telephone: +49 (0)681 302-71232
e-mail: michael.bauer@carbolution-chemicals.de
Internet: www.carbolution-chemicals.de

1.4. Emergency telephone number: +49 (0)681 302-71232**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Directive 67/548/EEC or 1999/45/EC**

Indications of danger: C - Corrosive
R phrases:
Causes severe burns.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:
Skin corrosion/irritation: Skin Corr. 1A
Hazard Statements:
Causes severe skin burns and eye damage.

2.2. Label elements**Hazardous components which must be listed on the label**

Sodium hydroxide; caustic soda

Signal word: Danger
Pictograms: GHS05



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium hydroxide, 1 kg

Print date: 14.04.2015

Product code: 9991687

Page 2 of 8

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula: NaOH
 Molecular weight: 40,00

Hazardous components

| EC No | Chemical name | Quantity |
|--------------|---|----------|
| CAS No | Classification according to Directive 67/548/EEC | |
| Index No | Classification according to Regulation (EC) No. 1272/2008 [CLP] | |
| 215-185-5 | Sodium hydroxide; caustic soda | 100 % |
| 1310-73-2 | C - Corrosive R35 | |
| 011-002-00-6 | Skin Corr. 1A; H314 | |

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Move victim out of danger zone.

After inhalation

Provide fresh air. Medical treatment necessary.

After contact with skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Potential hazards: Stomach perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium hydroxide, 1 kg

Print date: 14.04.2015

Product code: 9991687

Page 3 of 8

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid generation of dust. Do not breathe dust. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

Advice on protection against fire and explosion

Only use the material in places where open light, fire and other flammable sources can be kept away.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|-----------|------------------|-----|-------------------|-----------|---------------|--------|
| 1310-73-2 | Sodium hydroxide | - | - | | TWA (8 h) | WEL |
| | | - | 2 | | STEL (15 min) | WEL |

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium hydroxide, 1 kg

Print date: 14.04.2015

Product code: 9991687

Page 4 of 8

Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------|-------------------|
| Physical state: | solid |
| Colour: | colourless |
| Odour: | No data available |

Test method

| | | |
|-----------|----|--|
| pH-Value: | 14 | |
|-----------|----|--|

Changes in the physical state

| | | |
|--|-------------------|--|
| Melting point: | 318 °C | |
| Initial boiling point and boiling range: | 1390 °C | |
| Sublimation point: | No data available | |
| Softening point: | No data available | |
| Flash point: | No data available | |

Flammability

| | | |
|-------------------------|-------------------|--|
| Solid: | No data available | |
| Gas: | No data available | |
| Lower explosion limits: | No data available | |
| Upper explosion limits: | No data available | |
| Ignition temperature: | No data available | |

Auto-ignition temperature

| | | |
|--------|-------------------|--|
| Solid: | No data available | |
| Gas: | No data available | |

| | | |
|--------------------------------|-------|--|
| Vapour pressure: (at 37 °C) | 4 hPa | |
|--------------------------------|-------|--|

| | | |
|------------------|-------------------|--|
| Vapour pressure: | No data available | |
|------------------|-------------------|--|

| | | |
|----------|------------------------|--|
| Density: | 2,13 g/cm ³ | |
|----------|------------------------|--|

| | | |
|-------------------|-------------------|--|
| Water solubility: | No data available | |
|-------------------|-------------------|--|

| | | |
|------------------------|-------------------|--|
| Partition coefficient: | No data available | |
|------------------------|-------------------|--|

| | | |
|----------------------|-------------------|--|
| Viscosity / dynamic: | No data available | |
|----------------------|-------------------|--|

| | | |
|------------------------|-------------------|--|
| Viscosity / kinematic: | No data available | |
|------------------------|-------------------|--|

| | | |
|------------|-------------------|--|
| Flow time: | No data available | |
|------------|-------------------|--|

| | | |
|-----------------|------|--|
| Vapour density: | 1,38 | |
|-----------------|------|--|

| | | |
|-------------------|-------------------|--|
| Evaporation rate: | No data available | |
|-------------------|-------------------|--|

| | | |
|--------------------------|-------------------|--|
| Solvent separation test: | No data available | |
|--------------------------|-------------------|--|

| | | |
|------------------|-------------------|--|
| Solvent content: | No data available | |
|------------------|-------------------|--|

9.2. Other information

| | | |
|----------------|-------------------|--|
| Solid content: | No data available | |
|----------------|-------------------|--|

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium hydroxide, 1 kg

Print date: 14.04.2015

Product code: 9991687

Page 5 of 8

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Oxidizing agents, strong. acid.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicokinetics, metabolism and distribution

Toxicological data are not available.

Acute toxicity

Toxicological data are not available.

Irritation and corrosivity

after ingestion: Irritant and corrosive effects. Potential hazards: Stomach perforation.

Sensitising effects

No data available

Severe effects after repeated or prolonged exposure

No data available

Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fulfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

Specific effects in experiment on an animal

No data available

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

Practical experience

Observations relevant to classification

No data available

SECTION 12: Ecological information

12.1. Toxicity

| CAS No | Chemical name | | | | | |
|-----------|--------------------------------|--------|-----------|-----------|----------------------|--------|
| | Aquatic toxicity | Method | Dose | [h] [d] | Species | Source |
| 1310-73-2 | Sodium hydroxide; caustic soda | | | | | |
| | Acute fish toxicity | LC50 | 45,4 mg/l | 96 h | Onchorhynchus mykiss | |

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium hydroxide, 1 kg

Print date: 14.04.2015

Product code: 9991687

Page 6 of 8

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals
Classified as hazardous waste.

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals
Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances
Classified as hazardous waste.

Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN1823
14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLID
14.3. Transport hazard class(es): 8
14.4. Packing group: II
 Hazard label: 8
 Classification code: C6
 Limited quantity: 1 kg
 Transport category: 2
 Hazard No: 80
 Tunnel restriction code: E

Other applicable information (land transport)

E2

Inland waterways transport (ADN)

14.1. UN number: UN1823

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium hydroxide, 1 kg

Print date: 14.04.2015

Product code: 9991687

Page 7 of 8

14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLID

14.3. Transport hazard class(es): 8

14.4. Packing group: II

Hazard label: 8

Classification code: C6

Limited quantity: 1 kg

Other applicable information (inland waterways transport)

E2

Marine transport (IMDG)

14.1. UN number: UN1823

14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLID

14.3. Transport hazard class(es): 8

14.4. Packing group: II

Hazard label: 8

Special Provisions: -

Limited quantity: 1 kg

EmS: F-A, S-B

Other applicable information (marine transport)

E2

Air transport (ICAO)

14.1. UN number: UN1823

14.2. UN proper shipping name: SODIUM HYDROXIDE, SOLID

14.3. Transport hazard class(es): 8

14.4. Packing group: II

Hazard label: 8

Limited quantity Passenger: 5 kg

IATA-packing instructions - Passenger: 859

IATA-max. quantity - Passenger: 15 kg

IATA-packing instructions - Cargo: 863

IATA-max. quantity - Cargo: 50 kg

Other applicable information (air transport)

E2

: Y844

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

SECTION 16: Other information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Sodium hydroxide, 1 kg

Print date: 14.04.2015

Product code: 9991687

Page 8 of 8

Relevant R-phrases (Number and full text)

35 Causes severe burns.

Relevant H- and EUH-phrases (Number and full text)

H314 Causes severe skin burns and eye damage.