

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Silver oxide, 5 g

Print date: 15.04.2015

Product code: 9991907

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Silver oxide, 5 g

CAS No: 20667-12-3
EC No: 243-957-1**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Laboratory chemicals

1.3. Details of the supplier of the safety data sheet**Seller**Company name: CONATEX-DIDACTIC Lehrmittel GmbH
Street: Im Forstgarten 1
Place: D-66459 Kirkel
Internet: www.conatex.com**Supplier**Company name: Carbolution Chemicals GmbH
Street: Im Stadtwald, Gebäude A1.2
Place: D-66123 Saarbrücken
Contact person: Dr. Michael Bauer Telephone: +49 (0)681 302-71232
e-mail: michael.bauer@carbolution-chemicals.de
Internet: www.carbolution-chemicals.de**1.4. Emergency telephone number:** +49 (0)681 302-71232**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Directive 67/548/EEC or 1999/45/EC**Indications of danger: Xi - Irritant
R phrases:
Irritating to eyes, respiratory system and skin.**Classification according to Regulation (EC) No. 1272/2008 [CLP]**Hazard categories:
Skin corrosion/irritation: Skin Irrit. 2
Serious eye damage/eye irritation: Eye Irrit. 2
Specific target organ toxicity - single exposure: STOT SE 3
Hazard Statements:
Causes serious eye irritation.
May cause respiratory irritation.
Causes skin irritation.**2.2. Label elements****Hazardous components which must be listed on the label**

Silver oxide

Signal word: Warning
Pictograms: GHS07

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Silver oxide, 5 g

Print date: 15.04.2015

Product code: 9991907

Page 2 of 8



Hazard statements

- H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

Precautionary statements

- P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SECTION 3: Composition/information on ingredients

3.1. Substances

- Sum formula: Ag₂O
 Molecular weight: 231,74

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
243-957-1	Silver oxide	100 %
20667-12-3	Xi - Irritant R36/37/38	
	Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H315 H319 H335	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. Medical treatment necessary.

After contact with skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Silver oxide, 5 g

Print date: 15.04.2015

Product code: 9991907

Page 3 of 8

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid generation of dust. Do not breathe dust. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

Advice on protection against fire and explosion

Only use the material in places where open light, fire and other flammable sources can be kept away.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Silver oxide, 5 g

Print date: 15.04.2015

Product code: 9991907

Page 4 of 8

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid
 Colour: dark grey
 Odour: No data available

Test method

pH-Value: No data available

Changes in the physical state

Initial boiling point and boiling range: No data available
 Sublimation point: No data available
 Softening point: No data available
 Flash point: No data available

Flammability

Solid: No data available
 Gas: No data available

Lower explosion limits: No data available
 Upper explosion limits: No data available
 Ignition temperature: No data available

Auto-ignition temperature

Solid: No data available
 Gas: No data available

Oxidizing properties

Oxidising.

Vapour pressure: No data available
 Vapour pressure: No data available
 Density: 7,143 g/cm³
 Water solubility: No data available
 Partition coefficient: No data available
 Viscosity / dynamic: No data available
 Viscosity / kinematic: No data available
 Flow time: No data available
 Vapour density: No data available
 Evaporation rate: No data available
 Solvent separation test: No data available
 Solvent content: No data available

9.2. Other information

Solid content: No data available

SECTION 10: Stability and reactivity

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Silver oxide, 5 g

Print date: 15.04.2015

Product code: 9991907

Page 5 of 8

10.1. Reactivity

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Oxidizing agents, strong.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

Toxicological data are not available.

Acute toxicity

Toxicological data are not available.

Irritation and corrosivity

Irritating to eyes. Following inhalation: Lung irritation. Coughing. shortage of breath. After skin contact: Irritant.

Sensitising effects

No data available

Severe effects after repeated or prolonged exposure

No data available

Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fulfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

Specific effects in experiment on an animal

No data available

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

Practical experience**Observations relevant to classification**

No data available

SECTION 12: Ecological information**12.1. Toxicity**

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Silver oxide, 5 g

Print date: 15.04.2015

Product code: 9991907

Page 6 of 8

Further information

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals
Classified as hazardous waste.

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals
Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances
Classified as hazardous waste.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	UN 1479
14.2. UN proper shipping name:	OXIDIZING SOLID, N.O.S.
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	I
Hazard label:	5.1
Classification code:	O2
Special Provisions:	274
Limited quantity:	0
Transport category:	1
Tunnel restriction code:	E

Other applicable information (land transport)

E0

Inland waterways transport (ADN)

14.1. UN number:	UN 1479
14.2. UN proper shipping name:	OXIDIZING SOLID, N.O.S.
14.3. Transport hazard class(es):	5.1
14.4. Packing group:	I
Hazard label:	5.1
Classification code:	O2

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Silver oxide, 5 g

Print date: 15.04.2015

Product code: 9991907

Page 7 of 8

Special Provisions: 274
Limited quantity: 0

Other applicable information (inland waterways transport)

E0

Marine transport (IMDG)

14.1. UN number: UN 1479
14.2. UN proper shipping name: OXIDIZING SOLID, N.O.S.
14.3. Transport hazard class(es): 5.1
14.4. Packing group: I
Hazard label: 5.1
Special Provisions: 274, 900
Limited quantity: 0
EmS: F-A, S-Q

Other applicable information (marine transport)

E0

Air transport (ICAO)

14.1. UN number: UN 1479
14.2. UN proper shipping name: OXIDIZING SOLID, N.O.S.
14.3. Transport hazard class(es): 5.1
14.4. Packing group: I
Hazard label: 5.1
Special Provisions: A3 A803
Limited quantity Passenger: Forbidden
IATA-packing instructions - Passenger: 557
IATA-max. quantity - Passenger: 1 kg
IATA-packing instructions - Cargo: 561
IATA-max. quantity - Cargo: 15 kg

Other applicable information (air transport)

E0

: Forbidden

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

National regulatory information

Water contaminating class (D): 3 - highly water contaminating

SECTION 16: Other information

Relevant R-phrases (Number and full text)

36/37/38 Irritating to eyes, respiratory system and skin.

Relevant H- and EUH-phrases (Number and full text)

H315 Causes skin irritation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Silver oxide, 5 g

Print date: 15.04.2015

Product code: 9991907

Page 8 of 8

H319

Causes serious eye irritation.

H335

May cause respiratory irritation.