

according to Regulation (EC) No 1907/2006

Oil of turpentine, retif., 100 ml

Print date: 15.04.2015 Product code: 9991937 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Oil of turpentine, retif., 100 ml

CAS No: 8006-64-2 Index No: 650-002-00-6 EC No: 232-350-7

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

1.3. Details of the supplier of the safety data sheet

Seller

Company name: CONATEX-DIDACTIC Lehrmittel GmbH

Street: Im Forstgarten 1
Place: D-66459 Kirkel
Internet: www.conatex.com

Supplier

Company name: Carbolution Chemicals GmbH Street: Im Stadtwald, Gebäude A1.2

Place: D-66123 Saarbrücken

Contact person: Dr. Michael Bauer Telephone: +49 (0)681 302-71232

e-mail: michael.bauer@carbolution-chemicals.de

Internet: www.carbolution-chemicals.de

1.4. Emergency telephone +49 (0)681 302-71232

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: Xn - Harmful, Xi - Irritant, N - Dangerous for the environment

R phrases: Flammable.

Harmful by inhalation, in contact with skin and if swallowed.

Harmful: may cause lung damage if swallowed.

Irritating to eyes and skin.

May cause sensitisation by skin contact.

Toxic to aquatic organisms.

May cause long-term adverse effects in the aquatic environment.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Flammable liquid: Flam. Liq. 3 Acute toxicity: Acute Tox. 4 Acute toxicity: Acute Tox. 4 Acute toxicity: Acute Tox. 4 Aspiration hazard: Asp. Tox. 1

Serious eye damage/eye irritation: Eye Irrit. 2

Skin corrosion/irritation: Skin Irrit. 2 Respiratory/skin sensitization: Skin Sens. 1



according to Regulation (EC) No 1907/2006

Oil of turpentine, retif., 100 ml

Print date: 15.04.2015 Product code: 9991937 Page 2 of 9

Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

Flammable liquid and vapour.

Harmful if inhaled.

Harmful in contact with skin.

Harmful if swallowed.

May be fatal if swallowed and enters airways.

Causes serious eye irritation.

Causes skin irritation.

May cause an allergic skin reaction.

Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazardous components which must be listed on the label

Turpentine, oil

Signal word: Warning

Pictograms: GHS02-GHS07-GHS09







Hazard statements

H226 Flammable liquid and vapour.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

SECTION 3: Composition/information on ingredients

3.1. Substances

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
232-350-7	Turpentine, oil	100 %
8006-64-2	Xn - Harmful, Xi - Irritant, N - Dangerous for the environment R10-20/21/22-65-36/38-43-51-53	
650-002-00-6	Flam. Liq. 3, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Asp. Tox. 1, Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1, Aquatic Chronic 2; H226 H332 H312 H302 H304 H319 H315 H317 H411	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures



according to Regulation (EC) No 1907/2006

Oil of turpentine, retif., 100 ml

Print date: 15.04.2015 Product code: 9991937 Page 3 of 9

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water. Medical treatment necessary.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

5.2. Special hazards arising from the substance or mixture

Combustible. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.



according to Regulation (EC) No 1907/2006

Oil of turpentine, retif., 100 ml

Print date: 15.04.2015 Product code: 9991937 Page 4 of 9

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on storage compatibility

Do not store together with: Material, oxygen-rich, oxidizing. Pyrophoric or self-heating substances.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
8006-64-2	Turpentine	100	566		TWA (8 h)	WEL
		150	850		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: No data available

Test method

pH-Value: No data available

Changes in the physical state

Melting point: $-55\,^{\circ}\mathrm{C}$ Initial boiling point and boiling range: $153\,^{\circ}\mathrm{C}$ Sublimation point: No data available



according to Regulation (EC) No 1907/2006

according to Regulation (EC) No 1907/2006					
Oil of turpentine, retif., 100 ml					
Print date: 15.04.2015	Product code: 9991937	Page 5 of 9			
Softening point:	No data available				
Flash point:	36 °C				
Flammability	No data susitable				
Solid: Gas:	No data available No data available				
Lower explosion limits:	0,8 vol. %				
Upper explosion limits:	6 vol. %				
Ignition temperature:	No data available				
Auto-ignition temperature					
Solid:	No data available				
Gas:	No data available				
Vapour pressure: (at 20 °C)	5 hPa				
Vapour pressure:	No data available				
Density (at 25 °C):	0,86 g/cm ³				
Water solubility:	No data available				
Partition coefficient:	No data available				
Viscosity / dynamic:	No data available				
Viscosity / kinematic:	No data available				
Flow time:	No data available				
Vapour density:	No data available				
Evaporation rate:	No data available				
Solvent separation test:	No data available				
Solvent content:	No data available				
9.2. Other information					

SECTION 10: Stability and reactivity

10.1. Reactivity

Solid content:

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Ignition hazard. Vapours can form explosive mixtures with air.

No data available

10.5. Incompatible materials

Oxidizing agents, strong.

10.6. Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

Toxicological data are not available.



according to Regulation (EC) No 1907/2006

Oil of turpentine, retif., 100 ml

Print date: 15.04.2015 Product code: 9991937 Page 6 of 9

Acute toxicity

Acute dermal toxicity. Acute inhalation toxicity. Acute oral toxicity.

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
8006-64-2	Turpentine, oil				
	oral	ATE	500 mg/kg		
	dermal	ATE	1100 mg/kg		
	inhalative vapour	ATE	11 mg/l		
	inhalative aerosol	ATE	1,5 mg/l		

Irritation and corrosivity

Causes eye irritation. Causes skin irritation.

Sensitising effects

May cause sensitisation by skin contact.

Severe effects after repeated or prolonged exposure

No data available

Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fullfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

Specific effects in experiment on an animal

No data available

Additional information on tests

This mixture is classified as hazardous according to 1999/45/EC.

Practical experience

Observations relevant to classification

No data available

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods



according to Regulation (EC) No 1907/2006

Oil of turpentine, retif., 100 ml

Print date: 15.04.2015 Product code: 9991937 Page 7 of 9

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded

chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures

of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded

chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures

of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE

CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances

Classified as hazardous waste.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	UN 1299
------------------	---------

14.2. UN proper shipping name: TURPENTINE

14.3. Transport hazard class(es): 3

14.4. Packing group:

Hazard label: 3
Classification code: F1
Limited quantity: 5 L

Transport category: 3
Hazard No: 30
Tunnel restriction code: D/E

Other applicable information (land transport)

E1

Inland waterways transport (ADN)

14.1. UN number: UN 1299

14.2. UN proper shipping name: TURPENTINE

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3Classification code:F1Limited quantity:5 L

Other applicable information (inland waterways transport)

F1

Marine transport (IMDG)

14.1. UN number: UN 1299



according to Regulation (EC) No 1907/2006

Oil of turpentine, retif., 100 ml	
-----------------------------------	--

Print date: 15.04.2015 Product code: 9991937 Page 8 of 9

14.2. UN proper shipping name: TURPENTINE

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3Special Provisions:-Limited quantity:5 LEmS:F-E. S-E

Other applicable information (marine transport)

E1

Air transport (ICAO)

14.1. UN number: UN 1299 **14.2. UN proper shipping name:** TURPENTINE

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3Limited quantity Passenger:10 L

IATA-packing instructions - Passenger: 355
IATA-max. quantity - Passenger: 60 L
IATA-packing instructions - Cargo: 366
IATA-max. quantity - Cargo: 220 L

Other applicable information (air transport)

E1 : Y344

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

National regulatory information

Water contaminating class (D): 3 - highly water contaminating

SECTION 16: Other information

Relevant R-phrases (Number and full text)

10 Flammable.

20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

36/38 Irritating to eyes and skin.

43 May cause sensitisation by skin contact.

Toxic to aquatic organisms.

May cause long-term adverse effects in the aquatic environment.

65 Harmful: may cause lung damage if swallowed.

Relevant H- and EUH-phrases (Number and full text)

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H302+H312+H332 Harmful if swallowed, in contact with skin or if inhaled.



according to Regulation (EC) No 1907/2006

Oil of turpentine, retif., 100 ml				
Print date: 15.04.2015	Product code: 9991937	Page 9 of 9		
H304	May be fatal if swallowed and enters airways.			
H312	Harmful in contact with skin.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H319	Causes serious eye irritation.			
H332	Harmful if inhaled.			
H411	Toxic to aquatic life with long lasting effects.			