

according to Regulation (EC) No 1907/2006

Tungsten, powder, 10 g

Print date: 15.04.2015 Product code: 9991994 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Tungsten, powder, 10 g

CAS No: 7440-33-7 EC No: 231-143-9

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

1.3. Details of the supplier of the safety data sheet

Seller

Company name: CONATEX-DIDACTIC Lehrmittel GmbH

Street: Im Forstgarten 1 Place: D-66459 Kirkel Internet: www.conatex.com

Supplier

Carbolution Chemicals GmbH Company name: Street: Im Stadtwald, Gebäude A1.2

D-66123 Saarbrücken Place:

Contact person: Dr. Michael Bauer Telephone: +49 (0)681 302-71232

e-mail: michael.bauer@carbolution-chemicals.de

Internet: www.carbolution-chemicals.de

1.4. Emergency telephone +49 (0)681 302-71232

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: F - Highly flammable, Xi - Irritant

R phrases: Highly flammable. Irritating to eyes and skin.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Flammable solid: Flam. Sol. 1 Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements: Flammable solid. Causes skin irritation. Causes serious eye irritation.

2.2. Label elements

Signal word: Warning Pictograms: GHS07



according to Regulation (EC) No 1907/2006

Tungsten, powder, 10 g

Print date: 15.04.2015 Product code: 9991994 Page 2 of 9



Hazard statements

H315 Causes skin irritation. H319 Causes serious eye irritation.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula: W Molecular weight: 183,84

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
231-143-9	Tungsten, powder	100 %
7440-33-7	F - Highly flammable, Xi - Irritant R11-36/38	
	Flam. Sol. 1, Skin Irrit. 2, Eye Irrit. 2; H228 H315 H319	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed



according to Regulation (EC) No 1907/2006

Tungsten, powder, 10 g

Print date: 15.04.2015 Product code: 9991994 Page 3 of 9

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

5.2. Special hazards arising from the substance or mixture

Combustible. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Avoid generation of dust. Do not breathe dust. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion.

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on storage compatibility

Do not store together with: Material, oxygen-rich, oxidizing. Pyrophoric or self-heating substances.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

Tungsten, powder, 10 g

Print date: 15.04.2015 Product code: 9991994 Page 4 of 9

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7440-33-7	Tungsten	-	5		TWA (8 h)	WEL
		-	10		STEL (15 min)	WEL

8.2. Exposure controls

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid
Colour: silver grey
Odour: No data available

Test method

pH-Value: not determined

Changes in the physical state

Melting point:3410 °CInitial boiling point and boiling range:5660 °CSublimation point:No data availableSoftening point:No data availableFlash point:not applicable

Flammability

Solid: not determined Gas: not applicable

Lower explosion limits: not determined Upper explosion limits: not determined Ignition temperature: No data available

Auto-ignition temperature

Solid: not determined Gas: not applicable

Decomposition temperature: not determined



according to Regulation (EC) No 1907/2006

Tungsten, powder, 10 g

Print date: 15.04.2015 Product code: 9991994 Page 5 of 9

Oxidizing properties

Not oxidizing.

Vapour pressure: not determined Vapour pressure: No data available Density (at 25 °C): 19,3 g/cm³ Water solubility: easily soluble

Solubility in other solvents

not determined

Partition coefficient: not determined Viscosity / dynamic: No data available Viscosity / kinematic: No data available No data available Flow time: Vapour density: not determined Evaporation rate: not determined No data available Solvent separation test: No data available Solvent content:

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable, Ignition hazard.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

Toxicological data are not available.

Acute toxicity

Toxicological data are not available.

Irritation and corrosivity

No data available

Sensitising effects

No data available



according to Regulation (EC) No 1907/2006

Tungsten, powder, 10 g

Print date: 15.04.2015 Product code: 9991994 Page 6 of 9

Severe effects after repeated or prolonged exposure

No data available

Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fullfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

Specific effects in experiment on an animal

No data available

Additional information on tests

This mixture is classified as hazardous according to 1999/45/EC.

Practical experience

Observations relevant to classification

No data available

SECTION 12: Ecological information

12.1. Toxicity

According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the environment".

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures

of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of contaminated packaging



according to Regulation (EC) No 1907/2006

Tungsten, powder, 10 g

Print date: 15.04.2015 Product code: 9991994 Page 7 of 9

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE

CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances

Classified as hazardous waste.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the

substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 3089

14.2. UN proper shipping name: METAL POWDER, FLAMMABLE, N.O.S.

14.3. Transport hazard class(es): 4.1

14.4. Packing group:

Hazard label: 4.1
Classification code: F3
Special Provisions: 552
Limited quantity: 1 kg
Transport category: 2
Hazard No: 40
Tunnel restriction code: E

Other applicable information (land transport)

E2

Inland waterways transport (ADN)

14.1. UN number: UN 3089

14.2. UN proper shipping name: METAL POWDER, FLAMMABLE, N.O.S.

14.3. Transport hazard class(es):4.114.4. Packing group:IIHazard label:4.1Classification code:F3Special Provisions:552Limited quantity:1 kg

Other applicable information (inland waterways transport)

E2

Marine transport (IMDG)

14.1. UN number: UN 3089

14.2. UN proper shipping name: METAL POWDER, FLAMMABLE, N.O.S.

14.3. Transport hazard class(es):4.114.4. Packing group:IIHazard label:4.1Special Provisions:-Limited quantity:1 kgEmS:F-G, S-G

Other applicable information (marine transport)

E2

Air transport (ICAO)

14.1. UN number: UN 3089



according to Regulation (EC) No 1907/2006

Tungsten, powder, 10 g

Print date: 15.04.2015 Product code: 9991994 Page 8 of 9

14.2. UN proper shipping name: METAL POWDER, FLAMMABLE, N.O.S.

14.3. Transport hazard class(es):4.114.4. Packing group:IIHazard label:4.1Special Provisions:A3Limited quantity Passenger:5 kg

IATA-packing instructions - Passenger: 445
IATA-max. quantity - Passenger: 15 kg
IATA-packing instructions - Cargo: 448
IATA-max. quantity - Cargo: 50 kg

Other applicable information (air transport)

E2 · Y441

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

National regulatory information

Employment restrictions: Observe employment restrictions for young people.

Water contaminating class (D): 3 - highly water contaminating

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant R-phrases (Number and full text)

11 Highly flammable.

36/38 Irritating to eyes and skin.

Relevant H- and EUH-phrases (Number and full text)

H228 Flammable solid.



according to Regulation (EC) No 1907/2006

Tungsten, powder, 10 g

Print date: 15.04.2015 Product code: 9991994 Page 9 of 9

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.